



NAS623-3-3 - Screw, Pan Head

## Description

# NAS623-3-3 - SCREW, PAN HEAD

**Condition:** New Surplus

**Unit of Sale:** Sold Per Each

## PART NUMBER INFORMATION

---

**Unpunctuated:** NAS62333

## NAS STANDARD

---

**NAS (National Aerospace Standards)** components are meticulously designed to meet stringent aerospace specifications for **reliability** and **precision**. Made from materials such as **titanium**, **stainless steel**, and **alloy steel**, NAS components are built to perform under high-stress conditions. Each part is carefully coded and documented to ensure compliance with industry standards. Refer to **specification sheets** for accurate dimensions and application suitability.

## HISTORY

---

**NAS STANDARDS** were established in the 1940s by the **Aerospace Industries Association** (AIA) to meet the growing needs of the U.S. government and military. These standards were vital in creating reliable, interchangeable parts for aircraft, ensuring that components could be used across different platforms without compatibility issues. The system has since become foundational in aerospace part design.

## Condition and Unit of Sale

---

**NEW SURPLUS:** These parts are classified as new and unused, meaning they have not been installed or placed into service. However, they come without traceability or original manufacturer certifications, which might be required for certain high-level regulatory uses. Our company provides its own Certificate of Conformance (CoC) as a statement of assurance that the parts are in good working condition and have been sourced from reliable channels. These are ideal when the focus is on cost-effectiveness without compromising on quality.

**SOLD PER EACH:** This item is sold individually, with the price listed for a single unit. Perfect for purchasing the exact quantity needed without the requirement to buy in bulk. For larger quantities, consider reviewing any available bulk pricing options.

**Date**

2025/04/30

**Meta Fields**

**Regular Price :** 0.68    **Stock :** 180